



Telluric and Ocean Current Effects on Buried Pipelines and Their Cathodic Protection Systems

Contract PR-262-0030

**Prepared for the
Pipeline Corrosion Supervisory Committee
Pipeline Research Committee**

of

Pipeline Research Council International, Inc.

Prepared by the following Research Agencies:

**CORRENG Consulting Service Inc.
Geological Survey of Canada**

Authors:

**R.A. Gummow – Correng
D.H. Boteler, Ph.D. and L. Trichtchenko, Ph.D. – GSC**

**Publication Date:
December 2002**

TABLE OF CONTENTS

Executive Summary

1.0	Introduction	1
2.0	Modeling	7
2.1	Geomagnetic Induction.....	8
2.2	Tidal Induction and Coast Effect.....	12
2.2.1	Coast Effect.....	14
2.2.2	Coastal Modeling.....	14
2.3	Geomagnetic Interaction with a Pipeline	19
2.4	DSTL Modeling.....	24
2.4.1	Electrically-Long Pipeline	25
2.4.2	Electrically-Short Pipeline.....	27
2.4.3	Pipeline Bend	28
2.4.4	Modeling Pipeline Networks	29
3.0	Impact of Telluric Currents on Corrosion Control Systems	33
3.1	General.....	33
3.2	Corrosion Impact of Telluric Current on Cathodically Protected Pipelines	34
3.2.1	Background	34
3.2.2	Reported Instances of Corrosion Caused by Telluric Currents	35
3.2.3	Theoretical Corrosion Considerations	37
3.3	Effect of Telluric Voltage Fluctuations on Coatings	46
3.3.1	General.....	46
3.4	Cathodic Protection Performance Monitoring in the Presence of Telluric Activity.....	47
3.4.1	Pipe-to-Soil Potential Measurement at a Test Station.....	47
3.4.2	Close Interval Potential Surveys.....	50
4.0	Mitigating Telluric Current Effects	55
4.1	By Grounding.....	55
4.2	Using Cathodic Protection	56
4.2.1	Sacrificial Systems	56
4.2.2	Impressed Current Systems	58
5.0	Summary.....	61
6.0	Recommendations for Further Research on Telluric Current Effects on Pipelines	63
	References.....	65

Appendices

A	Geomagnetic Induction in the Earth	
A.1	General Equations	A1
A.2	Uniform Source Fields.....	A2
A.2.1	Surface Impedance for a Uniform Earth.....	A3
A.2.2	Surface Impedance for a Multi-Layer Earth	A3
A.3	Non-Uniform Source Fields.....	A5
A.3.1	Line Current Source.....	A6
A.3.2	Wide Electrojet Source	A9
B	Tidal and Coast Effects	
B.1	The Tidal Dynamo.....	B1
B.2	Coastal Modeling	B3
C	Interaction of Electromagnetic Waves with Pipelines	
C.1	Interaction of Electromagnetic Waves with Pipelines.....	C1
C.2	The Mathematical Model.....	C1
C.3	E-polarization	C2
C.4	H-polarization.....	C5
D	DSTL Modeling of Pipelines	
D.1	DSTL Modeling of Pipelines.....	D1
D.2	Equations for an Active Line with Active Terminations	D3
D.3	Equivalent Circuit for an Active Line with an Active Termination	D5
E	Calculation of Effect of Galvanic Anodes on Pipe-to-Earth Conductance	E1
F	Bibliography	
F.1	Telluric Current Interference	F1
F.2	Geomagnetic Effects on Ground-based Systems	F5
G	Sources of Geomagnetic Activity Information	G1
H	List of Symbols	
H.1	General	H1
H.2	Geomagnetic Induction	H1
H.3	Tidal Dynamo and Coast Effect	H2
H.4	Geomagnetic Interaction with a Pipeline.....	H2
H.5	Distributed Source Transmission Line Model.....	H2

List of Figures

Section 1

Figure 1-1	Recordings of Electric Fields at College, Alaska and Telluric Currents at Chena on the Alaska Pipeline	1
Figure 1-2	History of Geomagnetic Effects on Ground Technology	2
Figure 1-3	Diagram of the Ionospheric Currents on the Day-Side of the Earth that Create the “Quiet Day” Variation of the Magnetic Field and Corresponding Variations in Pipe-to-Soil Potentials.....	3
Figure 1-4	Schematic of the Electric Currents Associated with the Aurora that are Responsible for Magnetic Substorms and Associated Changes in Pipe-to-Soil Potential.....	4
Figure 1-5	Oscillations of the Earth’s Magnetic Field Lines that Cause Changes In Pipe-to-Soil Potential.....	5

Section 2

Figure 2-1	Schematic Showing the Ionospheric Currents, Tidal Water Movements and Telluric Currents in Pipelines.....	7
Figure 2-2	Magnetic Fields Recorded at the Ottawa Magnetic Observatory and Electric Fields Calculated Using a Layered Earth Model.....	8
Figure 2-3a	Magnetic Field Spectrum.....	9
Figure 2-3b	Earth Surface Impedance.....	9
Figure 2-3c	Electric Field Spectrum	9
Figure 2-4	Horizontal (Bx) and Vertical (Bz) Magnetic Fields and Horizontal (Ey) Electric Field with the Cauchy Distribution Produced by a Line Current of 1 Million Amps 100 km Above the Earth’s Surface. The calculations are made for a period of 5 min. and an earth model for the Canadian Shield.	11
Figure 2-5	Electric Field, E, Generated by Seawater Moving with Velocity, V, Through the Earth’s Magnetic Field, B.....	12
Figure 2-6	Potentials Produced by Tidal Flow in the Bay of Fundy	13
Figure 2-7	Current continuity for currents flowing across the coast is produced by charge accumulation that modifies the electric fields near the coast...	14
Figure 2-8	Generalized Thin Sheet Model of the Land – Ocean Boundary.....	16
Figure 2-9	Effect of a Coast on the Ground Potential and Electric Field	17

Figure 2-10	Potential and Electric Field Produced at a Geological Boundary	17
Figure 2-11	Electric Field Generated by Tidal Water Movement and the Resultant Potential in the Land and the Sea	18
Figure 2-12	Contour Lines of the Earth Surface Potential (Volts) Produced by an Induced Electric Field of 1 V/km Parallel to the Atlantic Coast of Nova Scotia Determined Using Analogue Modeling. Also shown is the route of the Maritimes and Northeast Pipeline	19
Figure 2-13	Diagram of the Incident Plane Waves of the Geomagnetic Field Producing Reflected Cylindrical Waves by Their Interaction with a Pipeline	20
Figure 2-14	Distortion of Electric Field in the Earth Produced by a Pipeline	21
	a. Contours of electric field strength	
	b. Vertical sections showing the decrease of the Electric Field that occurs away from the pipe (BB') and the additional attenuation produced by the pipe (AA')	
	c. Horizontal section showing the attenuation of the field near the pipe	
Figure 2-15	Close-up View of the Electric Fields in and Around a Pipeline.....	22
	a. Contours of electric field strength around the pipe	
	b. Vertical sections through (AA') and to the Side (BB') of the Pipe	
	c. Close-up View of the Electric Field Inside the Pipe Wall and the Coating	
Figure 2-16	Frequency Dependence for Different Resistivities (in S/m).....	23
	a. Amplitude	
	b. Phase	
Figure 2-17	Transmission Line Model of Pipeline Including Distributed Voltage Sources Representing the Induced Electric Field	24
Figure 2-18	DSTL Model Results (V, dV/dx, and I) for a Long Pipeline	26
Figure 2-19	Linear Variation in Potential Produced by Telluric Electric Fields in a Short Pipeline.....	27
Figure 2-20		
	a) Bend in a Pipeline	
	b) Pipe-to-soil Potentials Produced Around a Bend, at $x = 0$, with $\alpha - \beta = 120^\circ$	28
Figure 2-21	Route of the Maritimes and Northeast Pipeline.....	29
Figure 2-22	Maritimes DSTL Results with Insulating Flanges.....	30
Figure 2-23	Maritimes DSTL Results without Flanges	31
Figure 2-24	Maritimes DSTL Results with 0.1 ohm Terminations	32

Section 3

Figure 3-1	Calculated Telluric Induced Voltage at the End of the Maritimes & Northeast Pipeline as a Function of Coating Conductance for an East-West Electric Field of 0.1 V/km	34
Figure 3-2	Current Flow & Calculated OFF Potentials during a GIC Incident.....	37
Figure 3-3	Oxidation Reaction at Telluric Pipe Surface During Telluric Current Discharge in the Absence of Cathodic Protection	37
Figure 3-4	Reduction Reactions During Negative Cycle Telluric and Cathodic Protection Current Pick-Up.....	38
Figure 3-5	Steel Surface pH versus Applied C.P. Current Density.....	38
Figure 3-6	Polarization Curves after Several Days of Potentiostatic Polarization	39
Figure 3-7	Telluric Current Discharge from a Cathodically Protected Pipe	39
Figure 3-8	Experimental Anodic Polarization Curve of Steel in Hydroxide (pH 12.0)	40
Figure 3-9	Coefficient of Corrosion at Different Frequencies for Iron Electrodes	40
Figure 3-10	Effect on Corrosion Rate of Reversing Direction of Current Compared to Steady State Direct Current and Length of Time between Reversals..	41
Figure 3-11	Corrosion Current Density at a Coating Defect having an Applied Voltage of 1.0V in 1000 ohm-cm Soil for Various Coating Thicknesses ..	42
Figure 3-12	Peak Electric Field Magnitudes as a Function of Kp	43
Figure 3-13	Average Occurrence of 3-Hour Intervals with $K_p \geq A$ Specified Value	44
Figure 3-14	Corrosion Rate for Unprotected Steel vs. Telluric Potential Change at a 1cm Holiday in 1000 ohm-cm Soil for Various Telluric Intensities (Kp Indexes) Having a Period of 1 Hour.....	45
Figure 3-15	Typical Pipe-to-Soil Potential Measurements at a Test Station.....	47
Figure 3-16	Potential vs. Time Recorded on the Maritimes & Northeast Pipeline near the Canada/United States Border	48
Figure 3-17	Typical Pipe-to-Soil Potential Measurement at Test Station Having a Steel Coupon and Soil Tube	49
Figure 3-18	Typical Pipe-to-Soil Potential Recording at a Test Station Using a Coupon/Reference Probe.....	49

Figure 3-19	Comparison between Pipe/Coupon Potential with Time between a Copper-Copper Sulphate Reference on Grade and a Zinc Reference Electrode Located inside the Coupon	50
Figure 3-20	Pipe-to-Soil Potential Measurement Method to Compensate for Telluric Current Effects During a Close Interval CP Survey.....	51
Figure 3-21	CIPS Method using One Moving and Two Stationary Data Loggers.....	52
Figure 3-22	Comparison of Raw Pipe-to-Soil Potential Data to Compensated Data.....	53
Figure 3-23	Pipe Potential/Telluric Current Relationship at a Test Station.....	53
Figure 3-24	Four Wire Test Lead Arrangement for Measuring Pipe Current.....	54

Section 4

Figure 4-1	Schematic of a Telluric Bond Switch	55
Figure 4-2	Mitigation of Telluric Current Discharge using Galvanic Anodes.....	56
Figure 4-3	Effect of Connecting and Disconnecting Groups of Galvanic Anodes to a Pipeline Subjected to Telluric Current	57
Figure 4-4	Electrical Schematic at a Constant Voltage Transformer Rectifier During a Positive Telluric Voltage Fluctuation	58
Figure 4-5	Schematic of Potentially Controlled Cathodic Protection System used to Mitigate Telluric Current Effects	59
Figure 4-6	Pipe Potential and Rectifier Current Output vs. Time for an Impressed Current System Operating in Potential Control	60

Appendices

Figure A.1	Electric and Magnetic Fields at the Top and Bottom Surfaces of A Layer	A3
Figure A.2	Line Current Source Above the Earth and the Position of an Image Current at Complex Depth Used to Represent the Effect of Induced Currents.....	A8
Figure B.1	Tidal Water Flow in a Semi-Elliptical Channel.....	B1
Figure B.2	Generalized Thin Sheet Model.....	B3
Figure B.3	Thin Sheet Model of a Conductivity Boundary with an H-Polarized Source Field, i.e. the Magnetic Field Parallel to the Boundary.....	B4
Figure C.1	Coordinate System and Characteristics of the Pipeline Layers.....	C1

Figure D.1	Distributed-Source Transmission Line Model of a Pipe Section	D1
Figure D.2	Transmission Line Terminated at Each End by a Thevenin Equivalent Circuit	D3
Figure D.3	a) Transmission Line of Length L Terminated by a Thevenin Equivalent Circuit	D5
	b) Thevenin Equivalent Circuit for the Whole System shown in (a)	D5